

Author index

- Arilla, E., see Barrios, V., 149
Arilla, E., see Barrios, V., 161
- Bakich, V., see McIntosh, C.H.S., 253
Baldissera, G.A., see Skak-Nielsen, T., 183
Barrios, V., Fernandez Iriarte, M.C., Morcillo, E., Prieto, J.C. and Arilla, E.
Characterization of specific somatostatin binding sites in guinea pig lung, 149
Barrios, V., Fernandez Iriarte, M.C., Morcillo, E., Prieto, J.C. and Arilla, E.
Effect of sensitization on somatostatin concentration and binding in cytosol from guinea pig airways, 161
Belai, A., Ralevic, V. and Burnstock, G.
VIP release from enteric nerves is independent of extracellular calcium, 79
Besson, J., Malassiné, A. and Ferré, F.
Autoradiographic localization of vasoactive intestinal peptide (VIP) binding sites in the human term placenta. Relationship with activation of adenylate cyclase, 197
Bjartell, A., Ekman, R. and Sundler, F.
 γ_2 -MSH-like immunoreactivity in porcine pituitary and adrenal medulla. An immunohistochemical and immunocytochemical study, 291
Bjoro, T., Torjesen, P.A., Østberg, B.V., Sand, O., Iversen, J.-G., Gautvik, K.M. and Haug, E.
Bombesin stimulates prolactin secretion from cultured rat pituitary tumour cells (GH₄C₁) via activation of phospholipase C, 169
Brown, J.C., see Campos, R.V., 281
Brown, J.C., see McIntosh, C.H.S., 253
Brunswig, B., see Budnik, L.T., 23
Buchan, A.M.J., see Campos, R.V., 181
Bucht, E. and Sjöberg, H.E.
Evidence for precursors of calcitonin/PDN 21 in human milk, 65
Budnik, L.T., Brunswig, B. and Mukhopadhyay, A.K.
Atrial natriuretic factor stimulates luteal guanylate cyclase, 23
Burnstock, G., see Belai, A., 79
Campos, R.V., Wheeler, M.B., Pederson, R.A., Buchan, A.M.J. and Brown, J.C.
The effect of total parenteral nutrition (TPN) on gastrin release in the rat, 281
Castagné, V., Corder, R., Gaillard, R. and Mormède, P.
Stress-induced changes of circulating neuropeptide Y in the rat: comparison with catecholamines, 55
Chaplin, R.I., see Ehlers, C.L., 345
Condon, C.D., see McCulloch, C.R., 35
Cooke, H.J., see McCulloch, C.R., 35
Corder, R., see Castagné, V., 55
Cox, B.M., Rosenberger, J.G. and Douglass, J.
Chromatographic characterization of dynorphin and [Leu⁵]enkephalin immunoreactivity in guinea pig and rat testis, 1
Dancygier, H., see Wagner, F., 355
Debeljuk, L., Lasaga, M., Horvath, J., Duvilanski, B.H., Seilicovich, A. and Del C. Diaz, M.
Effect of an anti-substance P serum on prolactin and gonadotropins in hyperprolactinemic rats, 91
Del C. Diaz, M., see Debeljuk, L., 91
Demura, H., see Imaki, T., 243
Douglass, J., see Cox, B.M., 1
Duvilanski, B.H., see Debeljuk, L., 91
Ehlers, C.L. and Chaplin, R.I.
Chronic ethanol exposure potentiates the locomotor-activating effects of corticotropin-releasing factor (CRF) in rats, 345
Ekman, R., see Bjartell, A., 291
Ekman, R., see Persson, B., 325
Fernandez Iriarte, M.C., see Barrios, V., 149
Fernandez Iriarte, M.C., see Barrios, V., 161
Ferré, F., see Besson, J., 197
Fink, R., see Wagner, F., 355
Fryer, J.N., see Weld, M.M., 273
Fujio, N., see Ohashi, M., 265
Gaillard, R., see Castagné, V., 55
Gautvik, K.M., see Bjoro, T., 169
Gibbs, D.M.
 β -Adrenergic control of atrial natriuretic factor secretion from dispersed rat atrial myocytes, 73

- Greeley Jr., G.H., Hill, F.L.C., Spannagel, A. and Thompson, J.C.
Distribution of peptide YY in the gastrointestinal tract of the rat, dog, and monkey, 365
- Hart, R., see Wagner, F., 355
- Hashimoto, R. and Kimura, F.
The depressor effect of secretin administered either centrally or peripherally in conscious rats, 233
- Haug, E., see Bjørø, T., 169
- Heilig, M. and Murison, R.
Intracerebroventricular neuropeptide Y suppresses open field and home cage activity in the rat, 221
- Hill, F.L.C., see Greeley Jr., G.H., 365
- Hill, T.G., see Sattin, A., 13
- Holst, J.J., see Skak-Nielsen, T., 183
- Horvath, J., see Debeljuk, L., 91
- Håkanson, R., see Persson, B., 325
- Hökfelt, T., see Pernow, J., 313
- Ibayashi, H., see Ohashi, M., 265
- Imaki, T., Shibasaki, T., Masuda, A., Demura, H., Shizume, K. and Ling, N.
Effects of adrenergic blockers on corticotropin-releasing factor-induced behavioral changes in rats, 243
- Iversen, J.-G., see Bjørø, T., 169
- Jörnvall, H., see Persson, B., 325
- Kasting, N.W., see Wilkinson, M.F., 45
- Kato, K.I., see Ohashi, M., 265
- Kimura, F., see Hashimoto, R., 233
- Kristhammar, U., see Persson, B., 325
- Kubek, M.J., see Sattin, A., 13
- Kuwahara, A., see McCulloch, C.R., 35
- Lappe, R.W., Slivjak, M.J., Todt, J.A. and Wendt, R.L.
Hemodynamic effects of calcitonin gene-related peptide in conscious rats, 307
- Lasaga, M., see Debeljuk, L., 91
- Lederis, K., see Weld, M.M., 273
- Leykam, J., see Roth, K.A., 335
- Ling, N., see Imaki, T., 243
- Lundberg, J.M., see Pernow, J., 313
- Malassiné, A., see Besson, J., 197
- Masuda, A., see Imaki, T., 243
- Matsuo, H., see Ohashi, M., 265
- McCulloch, C.R., Kuwahara, A., Condon, C.D. and Cooke, H.J.
Neuropeptide modification of chloride secretion in guinea pig distal colon, 35
- McIntosh, C.H.S., Bakich, V., Nam Kwok, Y., Wong, J. and Brown, J.C.
The effects of substance P, histamine and histamine antagonists on somatostatin and gastrin release from the isolated perfused rat stomach, 253
- Meyerhoff, J.L., see Sattin, A., 13
- Morcillo, E., see Barrios, V., 149
- Morcillo, E., see Barrios, V., 161
- Mormède, P., see Castagné, V., 55
- Mukhopadhyay, A.K., see Budnik, L.T., 23
- Murison, R., see Heilig, M., 221
- Nam Kwok, Y., see McIntosh, C.H.S., 253
- Newata, H., see Ohashi, M., 265
- Nilsson, O., see Pernow, J., 313
- Norton J.A., see Sattin, A., 13
- Ohashi, M., Fujio, N., Nawata, H., Kato, K.I., Matsuo, H. and Ibayashi, H.
Pharmacokinetics of synthetic α -human atrial natriuretic polypeptide in normal men; effect of aging, 265
- Öhlén, A., see Pernow, J., 313
- Østberg, B.V., see Bjørø, T., 169
- Pederson, R.A., see Campos, R.V., 281
- Pernow, J., Öhlén, A., Hökfelt, T., Nilsson, O. and Lundberg, J.M.
Neuropeptide Y: presence in perivascular noradrenergic neurons and vasoconstrictor effects on skeletal muscle blood vessels in experimental animals and man, 313
- Persson, B., Kristhammar, U., Håkanson, R., Jörnvall, H. and Ekman, R.
Novel N-terminal fragments of pro- γ -melanocyte-stimulating hormone isolated from pig pituitary, 325
- Prieto, J.C., see Barrios, V., 149
- Prieto, J.C., see Barrios, V., 161
- Ralevic, V., see Belai, A., 79
- Rivier, J., see Weld, M.M., 273
- Rosenberger, J.G., see Cox, B.M., 1
- Roth, K.A., Unanue, R.A., Leykam, J. and Tyler, A.N.
Isolation and characterization of β -endorphin-(1-9) from human and rat pituitaries, 335
- Sand, O., see Bjørø, T., 169

- Sattin, A., Hill, T.G., Meyerhoff, J.L., Norton J.A. and Kubek, M.J.
The prolonged increase in thyrotropin-releasing hormone in rat limbic forebrain regions following electroconvulsive shock, 13
- Saunders, W.S. and Thornhill, J.A.
Pressor, tachycardic and feeding responses in conscious rats following i.c.v. administration of dynorphin. Central blockade by opiate and α_1 -receptor antagonists, 209
- Seier Poulsen, S., see Skak-Nielsen, T., 183
- Seilicovich, A., see Debeljuk, L., 91
- Shibasaki, T., see Imaki, T., 243
- Shizume, K., see Imaki, T., 243
- Sjöberg, H.E., see Bucht, E., 65
- Skak-Nielsen, T., Holst, J.J., Baldissera, G.A. and Seier Poulsen, S.
Localization in the gastrointestinal tract of immunoreactive prosomatostatin, 183
- Slivjak, M.J., see Lappe, R.W., 307
- Spannagel, A., see Greeley Jr., G.H., 365
- Sundler, F., see Bjartell, A., 291
- Thompson, J.C., see Greeley Jr., G.H., 365
- Thornhill, J.A., see Saunders, W.S., 209
- Todt, J.A., see Lappe, R.W., 307
- Torjesen, P.A., see Bjørø, T., 169
- Tyler, A.N., see Roth, K.A., 335
- Unanue, R.A., see Roth, K.A., 335
- Wagner, F., Fink, R., Hart, R. and Dancygier, H.
Substance P enhances interferon- γ production by human peripheral blood mononuclear cells, 355
- Weld, M.M., Freyer, J.N., Rivier, J. and Lederis, K.
Inhibition of CRF- and urotensin I-stimulated ACTH release from goldfish pituitary cell columns by the CRF analogue α -helical CRF-(9-41), 273
- Wendt, R.L., see Lappe, R.W., 307
- Wheeler, M.B., see Campos, R.V., 281
- Wilkinson, M.F. and Kasting, N.W.
Antipyresis due to centrally administered vasopressin differentially alters thermoregulatory effectors depending on the ambient temperature, 45
- Wong, J., see McIntosh, C.H.S., 253

Subject index

- Adenosine 5'-triphosphate**, Vasoactive intestinal polypeptide, Enteric nerve, Ca^{2+} -free medium, Neurotransmitter release, 79
- Adrenal gland**, Neuropeptide tyrosine, Noradrenaline, Adrenaline, Insulin-induced hypoglycemia, Cold stress, 55
- Adrenal medulla**, Neurohormonal peptide, γ -Melanotropin, Pituitary, Immunocytochemistry, Radioimmunoassay, 291
- Adrenaline**, Neuropeptide tyrosine, Noradrenaline, Adrenal gland, Insulin-induced hypoglycemia, Cold stress, 55
- Adrenergic receptor**, Atrial natriuretic factor, Epinephrine, 73
- Aging**, α -Human atrial natriuretic polypeptide, Radioimmunoassay, Metabolic clearance rate, 265
- cAMP**, Placental physiology, Fetal vascularization, Blood flow, Receptor, Peptide hormone, 197
- Anterior pituitary**, Substance P, Prolactin, Gonadotropin, Anti-substance P serum, Estrogen, 91
- Anti-substance P serum**, Substance P, Prolactin, Gonadotropin, Anterior pituitary, Estrogen, 91
- Atrial natriuretic peptide**, Rat luteal cell, Guanylate cyclase, Cyclic GMP, 23
- Atrial natriuretic factor**, Epinephrine, Adrenergic receptor, 73
- Behavior**, Grooming, Corticotropin-releasing factor, Caffeine, Phentolamine, Propranolol, Prazosin, Yohimbine, 243
- Biogenic amine**, Electroconvulsive treatment (ECT), Depression, Epilepsy, Peptide, Kindling, 13
- Biosynthesis of peptide**, Somatostatin, Peptidergic nerve, Posttranslational processing, Gastrointestinal hormone, 183
- Blood flow**, Placental physiology, Fetal vascularization, Receptor, Peptide hormone, cAMP, 197
- Blood pressure**, Intracerebroventricular administration, Intravenous administration, Secretin, Rat, 233
- Breast milk**, Immunoextraction, Gel chromatography, Katalcalcin, 65
- Bronchoconstriction**, Sensitization, Somatostatin binding site, Ovalbumin, 161
- Ca^{2+} -free medium**, Vasoactive intestinal polypeptide, Adenosine 5'-triphosphate, Enteric nerve, Neurotransmitter release, 79
- Caffeine**, Behavior, Grooming, Corticotropin-releasing factor, Phentolamine, Propranolol, Prazosin, Yohimbine, 243
- Calcitonin gene-related peptide**, Galanin, Neuropeptide Y, Vasoactive intestinal polypeptide, Somatostatin, 35
- Cardiac output**, Vasodilation, Tachycardia, Total peripheral resistance, Hypotension, 307
- Chronic ethanol exposure**, Corticotropin-releasing factor, Locomotor behavior, 345
- Cimetidine**, H_1 -receptor, H_2 -receptor, Pyrilamine, 253
- Circadian rhythm**, Neuropeptide Y, Rat, 221
- Coexistence**, Neuropeptide Y, Noradrenaline, Skeletal muscle blood vessel, Vasoconstriction, 313
- Cold stress**, Neuropeptide tyrosine, Noradrenaline, Adrenaline, Adrenal gland, Insulin-induced hypoglycemia, 55
- Colon**, Pancreotone, Peptide YY, Radioimmunoassay, 365
- Conscious rat**, I.c.v. dynorphin A-(1-13), Pressor response, Tachycardia, Feeding, Opioid and α -adrenergic blockade, 209
- Corticotropin-releasing factor**, Behavior, Grooming, Caffeine, Phentolamine, Propranolol, Prazosin, Yohimbine, 243
- Corticotropin**, Corticotropin-releasing factor, Urotensin I, Corticotropin-releasing factor antagonist, 273
- Corticotropin-releasing factor**, Urotensin I, Corticotropin, Corticotropin-releasing factor antagonist, 273
- Corticotropin-releasing factor**, Locomotor behavior, Chronic ethanol exposure, 345
- Corticotropin-releasing factor antagonist**, Corticotropin-releasing factor, Urotensin I, Corticotropin, 273.
- Cyclic AMP**, Thyroliberin, Vasoactive intestinal peptide, Membrane potential, Parafusion system, Intracellular Ca^{2+} concentration, 169

- Cyclic GMP**, Atrial natriuretic peptide, Rat luteal cell, Guanylate cyclase, 23
- Depression**, Electroconvulsive treatment (ECT), Epilepsy, Peptide, Kindling, Biogenic amine, 13
- Dynorphin**, Hypothalamo-pituitary-gonadal axis, Testis, Leu-enkephalin, 1
- Electroconvulsive treatment (ECT)**, Depression, Epilepsy, Peptide, Kindling, Biogenic amine, 13
- Endotoxin**, Fever, Heat loss, Heat production, Thermoregulatory set-point, Rat, 45
- Enteric nerve**, Vasoactive intestinal polypeptide, Adenosine 5'-triphosphate, Ca^{2+} -free medium, Neurotransmitter release, 79
- Epilepsy**, Electroconvulsive treatment (ECT), Depression, Peptide, Kindling, Biogenic amine, 13
- Epinephrine**, Atrial natriuretic factor, Adrenergic receptor, 73
- Estrogen**, Substance P, Prolactin, Gonadotropin, Anti-substance P serum, Anterior pituitary, 91
- Fast atom bombardment mass spectrometry**, Neuropeptide, Post-translational processing, 335
- Feeding**, Conscious rat, I.c.v. dynorphin A-(1-13), Pressor response, Tachycardia, Opioid and α -adrenergic blockade, 209
- Fetal vascularization**, Placental physiology, Blood flow, Receptor, Peptide hormone, cAMP, 197
- Fever**, Endotoxin, Heat loss, Heat production, Thermoregulatory set-point, Rat, 45
- Galanin**, Calcitonin gene-related peptide, Neuropeptide Y, Vasoactive intestinal polypeptide, Somatostatin, 35
- Gastrin**, Total parenteral nutrition, G-cell hypoplasia, Rat, 281
- Gastrointestinal hormone**, Somatostatin, Peptidergic nerve, Posttranslational processing, Biosynthesis of peptide, 183
- G-cell hypoplasia**, Total parenteral nutrition, Gastrin, Rat, 281
- Gel chromatography**, Immunoextraction, Katalcalcin, Breast milk, 65
- Gonadotropin**, Substance P, Prolactin, Anti-substance P serum, Anterior pituitary, Estrogen, 91
- Grooming**, Behavior, Corticotropin-releasing factor, Caffeine, Phentolamine, Propranolol, Prazosin, Yohimbine, 243
- Guanylate cyclase**, Atrial natriuretic peptide, Rat luteal cell, Cyclic GMP, 23
- H₁-receptor**, H₂-receptor, Pyrilamine, Cimetidine, 253
- H₂-receptor**, H₁-receptor, Pyrilamine, Cimetidine, 253
- Heat loss**, Fever, Endotoxin, Heat production, Thermoregulatory set-point, Rat, 45
- Heat production**, Fever, Endotoxin, Heat loss, Thermoregulatory set-point, Rat, 45
- Heterogeneity**, Pro- γ -melanocyte-stimulating hormone, Pro-opiomelanocortin, Pituitary gland, 325
- α -Human atrial natriuretic polypeptide**, Aging, Radioimmunoassay, Metabolic clearance rate, 265
- Hypotension**, Vasodilation, Tachycardia, Cardiac output, Total peripheral resistance, 307
- Hypothalamo-pituitary-gonadal axis**, Testis, Dynorphin, Leu-enkephalin, 1
- I.c.v. dynorphin A-(1-13)**, Conscious rat, Pressor response, tachycardia, Feeding, Opioid and α -adrenergic blockade, 209
- Immunocytochemistry**, Neurohormonal peptide, γ -Melanotropin, Pituitary, Adrenal medulla, Radioimmunoassay, 291
- Immunoextraction**, Gel chromatography, Katalcalcin, Breast milk, 65
- Immunomodulation**, Sensory neuropeptide, Substance P, Interferon- γ , Lymphokine, 355
- Insulin-induced hypoglycemia**, Neuropeptide tyrosine, Noradrenaline, Adrenaline, Adrenal gland, Cold stress, 55
- Interferon- γ** , Immunomodulation, Sensory neuropeptide, Substance P, Lymphokine, 355
- Intracellular Ca^{2+} concentration**, Thyroliberin, Vasoactive intestinal peptide, Membrane potential, Parafusion system, Cyclic AMP, 169
- Intracerebroventricular administration**, Blood pressure, Intravenous administration, Secretin, Rat, 233
- Intravenous administration**, Blood pressure, Intracerebroventricular administration, Secretin, Rat, 233
- Katalcalcin**, Immunoextraction, Gel chromatography, Breast milk, 65
- Kindling**, Electroconvulsive treatment (ECT), Depression, Epilepsy, Peptide, Biogenic amine, 13

- Leu-enkephalin**, Hypothalamo-pituitary-gonadal axis, Testis, Dynorphin, 1
- Locomotor behavior**, Corticotropin-releasing factor, Chronic ethanol exposure, 345
- Lung**, Somatostatin binding site, 149
- Lymphokine**, Immunomodulation, Sensory neuropeptide, Substance P, Interferon- γ , 355
- γ -Melanotropin**, Neurohormonal peptide, Pituitary, Adrenal medulla, Immunocytochemistry, Radioimmunoassay, 291
- Membrane potential**, Thyroliberin, Vasoactive intestinal peptide, Parafusion system, Intracellular Ca^{2+} concentration, Cyclic AMP, 169
- Metabolic clearance rate**, Aging, α -Human atrial natriuretic polypeptide, Radioimmunoassay, 265
- Neurohormonal peptide**, γ -Melanotropin, Pituitary, Adrenal medulla, Immunocytochemistry, Radioimmunoassay, 291
- Neuropeptide**, Post-translational processing, Fast atom bombardment mass spectrometry, 335
- Neuropeptide tyrosine**, Noradrenaline, Adrenaline, Adrenal gland, Insulin-induced hypoglycemia, Cold stress, 55
- Neuropeptide Y**, Calcitonin gene-related peptide, Galanin, Vasoactive intestinal polypeptide, Somatostatin, 35
- Neuropeptide Y**, Circadian rhythm, Rat, 221
- Neuropeptide Y**, Noradrenaline, Skeletal muscle blood vessel, Vasoconstriction, Coexistence, 313
- Neurotransmitter release**, Vasoactive intestinal polypeptide, Adenosine 5'-triphosphate, Enteric nerve, Ca^{2+} -free medium, 79
- Noradrenaline**, Neuropeptide tyrosine, Adrenaline, Adrenal gland, Insulin-induced hypoglycemia, Cold stress, 55
- Noradrenaline**, Neuropeptide Y, Skeletal muscle blood vessel, Vasoconstriction, Coexistence, 313
- Opioid and α -adrenergic blockade**, Conscious rat, I.c.v. dynorphin A-(1-13), Pressor response, Tachycardia, Feeding, 209
- Ovalbumin**, Sensitization, Somatostatin binding site, Bronchoconstriction, 161
- Pancreotone**, Peptide YY, Colon, Radioimmunoassay, 365
- Parafusion system**, Thyroliberin, Vasoactive intestinal peptide, Membrane potential, Intracellular Ca^{2+} concentration, Cyclic AMP, 169
- Peptide YY**, Pancreotone, Colon, Radioimmunoassay, 365
- Peptide hormone**, Placental physiology, Fetal vascularization, Blood flow, Receptor, cAMP, 197
- Peptide**, Electroconvulsive treatment (ECT), Depression, Epilepsy, Kindling, Biogenic amine, 13
- Peptidergic nerve**, Somatostatin, Posttranslational processing, Biosynthesis of peptide, Gastrointestinal hormone, 183
- Phentolamine**, Behavior, Grooming, Corticotropin-releasing factor, Caffeine, Propranolol, Prazosin, Yohimbine, 243
- Pituitary gland**, Pro- γ -melanocyte-stimulating hormone, Pro-opiomelanocortin, Heterogeneity, 325
- Pituitary**, Neurohormonal peptide, γ -Melanotropin, Adrenal medulla, Immunocytochemistry, Radioimmunoassay, 291
- Placental physiology**, Fetal vascularization, Blood flow, Receptor, Peptide hormone, cAMP, 197
- Posttranslational processing**, Neuropeptide, Fast atom bombardment mass spectrometry, 335
- Posttranslational processing**, Somatostatin, Peptidergic nerve, Biosynthesis of peptide, Gastrointestinal hormone, 183
- Prazosin**, Behavior, Grooming, Corticotropin-releasing factor, Caffeine, Phentolamine, Propranolol, Yohimbine, 243
- Pressor response**, Conscious rat, I.c.v. dynorphin A-(1-13), Tachycardia, Feeding, Opioid and γ -adrenergic blockade, 209
- Pro-opiomelanocortin**, Pro- γ -melanocyte-stimulating hormone, Pituitary gland, Heterogeneity, 325
- Pro- γ -melanocyte-stimulating hormone**, Pro-opiomelanocortin, Pituitary gland, Heterogeneity, 325
- Prolactin**, Substance P, Gonadotropin, Anti-substance P serum, Anterior pituitary, Estrogen, 91
- Propranolol**, Behavior, Grooming, Corticotropin-releasing factor, Caffeine, Phentolamine, Prazosin, Yohimbine, 243
- Pyrilamine**, H_1 -receptor, H_2 -receptor, Cimetidine, 253
- Radioimmunoassay**, Aging, α -Human atrial natriuretic polypeptide, Metabolic clearance rate, 265

- Radioimmunoassay**, Neurohormonal peptide, γ -Melanotropin, Pituitary, Adrenal medulla, Immunocytochemistry, 291
- Radioimmunoassay**, Pancreotone, Peptide YY, Colon, 365
- Rat luteal cell**, Atrial natriuretic peptide, Guanylate cyclase, Cyclic GMP, 23
- Rat**, Blood pressure, Intracerebroventricular administration, Intravenous administration, Secretin, 233
- Rat**, Fever, Endotoxin, Heat loss, Heat production, Thermoregulatory set-point, 45
- Rat**, Neuropeptide Y, Circadian rhythm, 221
- Rat**, Total parenteral nutrition, Gastrin, G-cell hypoplasia, 281
- Receptor**, Placental physiology, Fetal vascularization, Blood flow, Peptide hormone, cAMP, 197
- Secretin**, Blood pressure, Intracerebroventricular administration, Intravenous administration, Rat, 233
- Sensitization**, Somatostatin binding site, Ovalbumin, Bronchoconstriction, 161
- Sensory neuropeptide**, Immunomodulation, Substance P, Interferon- γ , Lymphokine, 355
- Skeletal muscle blood vessel**, Neuropeptide Y, Noradrenaline, Vasoconstriction, Coexistence, 313
- Somatostatin**, Calcitonin gene-related peptide, Galanin, Neuropeptide Y, Vasoactive intestinal polypeptide, 35
- Somatostatin**, Peptidergic nerve, Posttranslational processing, Biosynthesis of peptide, Gastrointestinal hormone, 183
- Somatostatin binding site**, Lung, 149
- Somatostatin binding site**, Sensitization, Ovalbumin, Bronchoconstriction, 161
- Substance P**, Prolactin, Gonadotropin, Anti-substance P serum, Anterior pituitary, Estrogen, 91
- Substance P**, Immunomodulation, Sensory neuropeptide, Interferon- γ , Lymphokine, 355
- Tachycardia**, Conscious rat, I.c.v. dynorphin A-(1-13), Pressor response, Feeding, Opioid and α -adrenergic blockade, 209
- Tachycardia**, Vasodilation, Cardiac output, Total peripheral resistance, Hypotension, 307
- Testis**, Hypothalamo-pituitary-gonadal axis, Dynorphin, Leu-enkephalin, 1
- Thermoregulatory set-point**, Fever, Endotoxin, Heat loss, Heat production, Rat, 45
- Thyroliberin**, Vasoactive intestinal peptide, Membrane potential, Parafusion system, Intracellular Ca^{2+} concentration, Cyclic AMP, 169
- Total parenteral nutrition**, Gastrin, G-cell hypoplasia, Rat, 281
- Total peripheral resistance**, Vasodilation, Tachycardia, Cardiac output, Hypotension, 307
- Urotensin I**, Corticotropin-releasing factor, Corticotropin, Corticotropin-releasing factor antagonist, 273
- Vasoactive intestinal polypeptide**, Calcitonin gene-related peptide, Galanin, Neuropeptide Y, Somatostatin, 35
- Vasoactive intestinal polypeptide**, Adenosine 5'-triphosphate, Enteric nerve, Ca^{2+} -free medium, Neurotransmitter release, 79
- Vasoactive intestinal peptide**, Thyroliberin, Membrane potential, Parafusion system, Intracellular Ca^{2+} concentration, Cyclic AMP, 169
- Vasoconstriction**, Neuropeptide Y, Noradrenaline, Skeletal muscle blood vessel, Coexistence, 313
- Vasodilation**, Tachycardia, Cardiac output, Total peripheral resistance, Hypotension, 307
- Yohimbine**, Behavior, Grooming, Corticotropin-releasing factor, Caffeine, Phentolamine, Propranolol, Prazosin, 243

